

GA2 Q S081 - 2281 001



Product short description:

Carrying frame for 2 people assembled with gasoline engine and self-priming centrifugal pump Type Victor Pumps S 81 (Q max: 95 m³/h; H max: 36 m) with following features:

→ Honda Diesel engine

- \rightarrow Close-coupled
- → Stage V (EU)
- → Manual start

Product features:

Main Features
Pump Flow Rate: max 95 m ³ /h (1580 l/min)
Pump head: max 35 m
Max. Solids Handling: 36 mm
Self-priming: ★★★☆
Heavy-duty: ★★☆☆☆
Frame: GA2 Carring frame for 2 persons
Suitable for the EU sales area: Yes
Suitable for the US sales area: No





Frame
Can be moved by hand: Yes
Can be towed with a vehicle: No
Towing bar with hook: NO
Document box prepared for lock: NO
Tool box prepared for lock: NO
Tank on engine: Yes
Tank integrated in frame: NO
Tank Capacity: 6, 1
Pump
Type of Pump: Self-priming centrifugal pump
Pump manufacturer: Victor Pumps
Suction port: 3"
Discharge port: 3"
Type of ports: Female Thread BSP
Type of self-priming: Wet-prime
Vaccum pump: NO
Inspection cover for the impeller: Yes
Filling port: Yes
Drain Port: Yes
Plug for Vacumeter: No
Plug for the Manometer: NO
Material of casing: Aluminum
Material of impeller: Stainless steel
Material of wear plate: Steel
Material of non-return valve: NBR
Shaft sealing: GYV Graphite/Silicon carbide/FKM
Performance data
Max vacuum with water: max 8 m (9, 5 m for 10 min)
Max vacuum with air: max 8, 5 m

Product gallery:

PINO PUMPS GmbH Germany - Dieselstraße 7 - 85551 Kirchheim bei München Tel. +49 89 9048660 - Fax +49 89 9043447 e-mail: info@pinopumps.com - www.pinopumps.com









PINO PUMPS GmbH Germany - Dieselstraße 7 - 85551 Kirchheim bei München Tel. +49 89 9048660 - Fax +49 89 9043447 e-mail: info@pinopumps.com - www.pinopumps.com





PINO PUMPS GmbH Germany - Dieselstraße 7 - 85551 Kirchheim bei München Tel. +49 89 9048660 - Fax +49 89 9043447 e-mail: info@pinopumps.com - www.pinopumps.com



